


better built by design

INSTALLER'S CHOICE[®]

AV Mounts and Connection Boxes
www.installerschoicemounts.com





Fixed Mounts



Connection Boxes



Tilt Mounts



Articulating Mounts

better built by design



IMS Engineered Products has been a leader in the development of enclosure and mounting systems for 69 years. Our innovations have become the standard for housing electronics and data systems over that time, trusted by companies and institutions providing services that touch virtually every aspect of your daily life.

The world relies on us to provide protection for the equipment that tracks satellites, moves trillions of dollars every day, keeps track of vital health information and processes data about distant planets. From military installations to banks and hospitals, IMS Engineered Products provides stability and security for the information your world runs on.

Now IMS introduces Installer's Choice, which brings to your home or business the quality and precision the world's technological leaders have depended on for decades. Installer's Choice is our most advanced line of rack systems yet, providing customization and quality that is second to none in securing your AV components.

These products were designed with a mind toward the future of home entertainment equipment, providing a variety of seamless cable management solutions and accessories. We gathered a group of the industry's most experienced installers and used their input and expertise in developing Installer's Choice. The result is a line of rack systems that combine modern, streamlined design with an ease of use and flexibility that covers any installation level.

Trust your AV components with the same award-winning design and manufacturing excellence the world's largest financial, insurance, aviation and defense organizations have enjoyed since 1943. Installer's Choice: Better Built by Design.

IMS has sales representatives and customer service to provide extensive support when timing is critical. We can also supply skilled personnel to assist in all of your design and sales requirements.



AV Mounts & Connection Boxes



Fixed Mounts

Installer's Choice fixed wall mounts provide a safe, secure mounting solution for flat-panel displays from 10" to 71". Fixed display mounts feature the shortest distance from the back of the display to the wall. The tilt mount ensures optimal screen viewing in any room setting.



Tilt Mounts

Tilt series features flat-panel wall mounts for LCD and plasma displays from 10" to 71". Installer's Choice tilt mounts provide -9° thru 15° tilt adjustments to provide the perfect viewing angle. The tilt mount ensures optimal screen viewing in any room setting.



Articulating Mounts

Articulating/pivot mounts deliver the highest level of flexibility for your 26" to 71" flat-panel displays. Single and double stud options provide tilt and full-motion swivel functions that allow your display to be viewed from anywhere and any room.



Connection Boxes

The surge suppression connection boxes provide a simple and organized interface for managing the cables and power for your flat-panel displays and other audio-visual equipment. The boxes recess the cables into your wall, allowing your slim flat-panel display to keep the lowest profile possible. Built-in surge protector keeps your electronics safe and your power cord routing simple and centrally located. They easily install and lock into the wall with lock tabs that accommodate drywall from 0.5"-1.25" thick.



EP42F

Panel Sizes: 26" to 42"

Weight Capacity: 80 lbs.

Product Dimensions: 8.9" x 8.75" x 0.7" (h x w x d)

Description: The EP42F fixed mount is able to support 26" to 42" flat-panel displays weighing up to 80 lbs. while placing them just 0.7" away from the wall. This basic, robust design provides ample security for virtually every 26" to 42" display on the market. The single stud design ensures easy installation and ready access to cable routing.

Universal mount for most 75x75mm - 200x200mm mounting patterns.



Razor
SERIES

IC60F


Panel Sizes: 37" to 60"

Weight Capacity: 100 lbs.

Product Dimensions: 20.25" x 30" x 0.8" (h x w x d)

Description: The IC60F is part of the Installer's Choice Razor Series. This low-profile fixed mount accentuates the slim, contemporary design of the industry's most streamlined 37" to 60" flat-panel displays, placing them just 0.8" from the wall. The ultra-slim profile provides seamless, elegant security for your displays. The IC60F supports flat-panel displays up to 100 lbs. with ease.

Universal mount for most 200x200mm - 600x400mm mounting patterns.



EP60F

Panel Sizes: 32" to 60"

Weight Capacity: 125 lbs.

Product Dimensions: 17" x 19.75" x 0.9" (h x w x d)

Description: The EP60F fixed mount is able to support 32" to 60" flat-panel displays weighing up to 125 lbs. while placing them just 0.8" away from the wall. This basic, robust design provides ample security for virtually every 32" to 60" display on the market. The dual stud, dual rail design ensures easy installation and ready access to cable routing.

Universal mount for most 100x100mm - 400x400mm mounting patterns.



IM63F

Panel Sizes: 32" to 63"

Weight Capacity: 200 lbs.

Product Dimensions: 17.2" x 27.25" x 1.375" (h x w x d)

Description: The IM63F is the Installer's Choice fixed mount option for your 32" to 63" flat-panel displays and is capable of supporting flat-panels up to 200 lbs. Our heavy-duty, dual rail design provides ample security for virtually every 32" to 63" display on the market. The dual stud, dual rail design ensures easy installation and ready access to cable routing. The IM63F has a 1.375" profile and the open wall plate design has expanded mounting and cable access flexibility.

Universal mount for most 200x200mm - 600x400mm mounting patterns.



IM65F

Panel Sizes: 42" to 65"

Weight Capacity: 200 lbs.

Product Dimensions: 17.2" x 35.4" x 1.375" (h x w x d)

Description: The IM65F is the Installer's Choice fixed mount option for your 42" to 65" flat-panel displays and is capable of supporting flat-panels up to 200 lbs. Our heavy-duty, dual rail design provides ample security for virtually every 42" to 65" display on the market. The triple stud, dual rail design ensures easy installation and ready access to cable routing. The IM65F has a 1.375" profile and the open wall plate design has expanded mounting and cable access flexibility.

Universal mount for most 200x200mm - 800x400mm mounting patterns.



IC71F

Panel Sizes: 46" to 71"

Weight Capacity: 100 lbs.

Product Dimensions: 20.25" x 36" x 0.8" (h x w x d)

Description: The IC71F is part of the Installer's Choice Razor Series. This low-profile fixed mount accentuates the slim, contemporary design of the industry's most streamlined 46" to 71" flat-panel displays, placing them just 0.8" from the wall. The ultra-slim profile provides seamless, elegant security for your displays. The IC71F supports flat-panel displays up to 100 lbs. with ease.

Universal mount for most 200x200mm - 800x400mm mounting patterns.

Razor
SERIES



IC71FH Heavy Duty


Panel Sizes: 55" to 71"

Weight Capacity: 200 lbs.

Product Dimensions: 21.25" x 36" x 1" (h x w x d)

Description: The IC71FH is a heavy-duty, low-profile fixed mount that accentuates the slim, contemporary design of the industry's most streamlined 55" to 71" flat-panel displays, placing them just 1" from the wall. The ultra-slim profile provides seamless, elegant security for your displays. The IC71FH supports flat-panel displays up to 200 lbs. with ease. Its triple stud, single rail design ensures easy installation and ready access to cable routing.

Universal mount for most 200x200mm - 800x400mm mounting patterns.



EP26T

Panel Sizes: 10" to 26"

Weight Capacity: 40 lbs.

Product Dimensions: 4.75" x 5.125" x 1.9" (h x w x d)

Description: The EP26T tilt mount is able to support 10" to 26" flat-panel displays weighing up to 40 lbs. while placing them just 2" away from the wall. This basic, robust design provides ample security for virtually every 10" to 26" display on the market. The single stud, single rail design ensures easy installation and ready access to cable routing. The EP26T allows continuous tilt from -5° thru 15°.

Universal mount for most 75x75mm - 100x100mm mounting patterns.



EP42T

Panel Sizes: 26" to 42"

Weight Capacity: 80 lbs.

Product Dimensions: 9" x 8.75" x 2" (h x w x d)

Description: The EP42T tilt mount is able to support 26" to 42" flat-panel displays weighing up to 80 lbs. while placing them just 2" from the wall. This basic, robust design provides ample security for virtually every 26" to 42" display on the market. The single stud, single rail design ensures easy installation and ready access to cable routing. The EP42T allows continuous tilt from -5° thru 15°.

Universal mount for most 75x75mm - 200x200mm mounting patterns.



Razor
SERIES

IC60T

Panel Sizes: 37" to 60"

Weight Capacity: 100 lbs.

Product Dimensions: 20.25" x 30" x 0.8" (h x w x d)

Description: The IC60T is part of the Installer's Choice Razor Series. This low-profile tilt mount accentuates the slim, contemporary design of the industry's most streamlined 37" to 60" flat-panel displays, placing them just 0.8" from the wall. The IC60T supports displays weighing up to 100 lbs. and allows you to adjust your viewing angle from -9° thru 15°, all while maintaining one of the thinnest profiles on the market.

Universal mount for most 200x200mm - 600x400mm mounting patterns.



EP60T

Panel Sizes: 32" to 60"

Weight Capacity: 125 lbs.

Product Dimensions: 17" x 19.75" x 2" (h x w x d)

Description: The EP60T tilt mount is able to support 32" to 60" flat-panel displays weighing up to 125 lbs. while placing them just 2" away from the wall. This basic, robust design provides ample security for virtually every 32" to 60" display on the market. The dual stud, dual rail design ensures easy installation and ready access to cable routing. The EP60T allows continuous tilt from -5° thru 15°.

Universal mount for most 100x100mm - 400x400mm mounting patterns.



EP63T

Panel Sizes: 42" to 63"

Weight Capacity: 200 lbs.

Product Dimensions: 24.75" x 34.625" x 2.25" (h x w x d)

Description: The EP63T tilt mount is able to support 42" to 63" flat-panel displays weighing up to 200 lbs. while placing them just 2.25" away from the wall. This basic, robust design provides ample security for virtually every 42"- 63" display on the market. The triple stud, dual rail design ensures easy installation and ready access to cable routing. The EP63T allows continuous tilt from -5° thru 15°.

Universal mount for most 100x100mm - 600x800mm mounting patterns.



IM63T

Panel Sizes: 32" to 63"

Weight Capacity: 200 lbs.

Product Dimensions: 17.25" x 27.25" x 2.25" (h x w x d)

Description: The IM63T is the Installer's Choice tilt mount option for your 32" to 63" flat-panel displays and is capable of supporting flat-panels up to 200 lbs. Our heavy-duty, dual rail design provides ample security for virtually every 32" to 63" display on the market. The dual stud, dual rail design ensures easy installation and ready access to cable routing. This mount allows you to adjust your flat-panel display from -5° thru 15°. The IM63T has a 2.25" profile and the open wall plate design has expanded mounting and cable access flexibility.

Universal mount for most 200x200mm - 600x400mm mounting patterns.



IM65T

Panel Sizes: 42" to 65"

Weight Capacity: 200 lbs.

Product Dimensions: 17.25" x 36" x 2.25" (h x w x d)

Description: The IM65T is the Installer's Choice tilt mount option for your 42" to 65" flat-panel displays and is capable of supporting flat-panels up to 200 lbs. Our heavy-duty, dual rail design provides ample security for virtually every 42" to 65" display on the market. The triple stud, dual rail design ensures easy installation and ready access to cable routing. This mount allows you to adjust your flat-panel display from -5° thru 15°. The IM65T has a 2.25" profile and the open wall plate design has expanded mounting and cable access flexibility.

Universal mount for most 200x200mm - 800x400mm mounting patterns.



IC71T

Panel Sizes: 46" to 71"

Weight Capacity: 100 lbs.

Product Dimensions: 20.25" x 36" x 0.8" (h x w x d)

Description: The IC71T is part of the Installer's Choice Razor Series. This low-profile tilt mount accentuates the slim, contemporary design of the industry's most streamlined 46" to 71" flat-panel displays, placing them just 0.8" from the wall. The IC71T supports displays weighing up to 100 lbs. and allows you to adjust your viewing angle from -9° thru 15°, all while maintaining one of the thinnest profiles on the market.

Universal mount for most 200x200mm - 800x400mm mounting patterns.



IC71TH Heavy Duty

Panel Sizes: 55" to 71"

Weight Capacity: 200 lbs.

Product Dimensions: 22.25" x 36" x 1.5" (h x w x d)

Description: The IC71TH is the Installer's Choice heavy-duty, low-profile tilt mount. It places flat-panel displays just 1.5" from the wall, while allowing you to adjust your viewing angle from -9° thru 15°. It accentuates the slim, contemporary design of the industry's most streamlined 55" to 71" flat-panel displays, with an ultra-slim profile that provides seamless, elegant security for your displays. The IC71TH supports flat-panel displays up to 200 lbs. with ease. Its triple stud, single rail design ensures easy installation and ready access to cable routing.

Universal mount for most 200x200mm - 800x400mm mounting patterns.

IC Mount Features



Snap Stand



Locking Mechanism

See page 15 for other Mount Accessories.



IC26S1A1

Panel Sizes: 10" to 26"

Weight Capacity: 40 lbs.

Product Dimensions: 7.875" x 7.875" x 2" (h x w x d)

Description: The IC26S1A1 articulating mount is part of the Installer's Choice Razor Series. This is an ideal solution for those looking for a combination of flexibility and stability for 10" to 26" flat-panel displays weighing up to 40 lbs. The mount's ultra-slim profile provides seamless, elegant security for your display, placing it just 2" from the wall when closed and extending up to 13.25" off the wall. Full-motion pan, swivel and extension capabilities make this one of the most versatile mounts available. The single stud design makes installation fast and easy. The IC26S1A1 provides the optimal viewing experience from anywhere in a room, offering a full range of motion and allowing viewing adjustments from -15° thru 15° to ensure the best viewing angle.

Universal mount for most 75x75mm - 200x200mm mounting patterns.



IC42S1A1

Panel Sizes: 26" to 42"

Weight Capacity: 80 lbs.

Product Dimensions: 16" x 13.875" x 1.5" (h x w x d)

Description: The IC42S1A1 articulating mount is part of the Installer's Choice Razor Series. This is an ideal solution for those looking for a combination of flexibility and stability for 26" to 42" flat-panel displays weighing up to 80 lbs. The mount's ultra-slim profile provides seamless, elegant security for your display, placing it just 1.5" from the wall when closed and extending up to 18.75" off the wall. Full-motion pan, swivel and extension capabilities make this one of the most versatile mounts available. The single stud design minimizes installation time. The IC42S1A1 provides the optimal viewing experience from anywhere in a room, offering a full range of motion and allowing viewing adjustments from -2° thru 10° to ensure the best viewing angle.

Universal mount for most 100x100mm - 400x400mm mounting patterns.



IC42S1A1500

Panel Sizes: 26" to 47"

Weight Capacity: 80 lbs.

Product Dimensions: 16" x 13.875" x 1.5" (h x w x d)

Description: The IC42S1A1 articulating mount is part of the Installer's Choice Razor Series. This is an ideal solution for those looking for a combination of flexibility and stability for 26" to 47" flat-panel displays weighing up to 80 lbs. The mount's ultra-slim profile provides seamless, elegant security for your display, placing it just 1.5" from the wall when closed and extending up to 18.75" off the wall. Full-motion pan, swivel and extension capabilities make this one of the most versatile mounts available. The single stud design minimizes installation time. The IC42S1A1 provides the optimal viewing experience from anywhere in a room, offering a full range of motion and allowing viewing adjustments from -2° thru 10° to ensure the best viewing angle.

Universal mount for most 100x100mm - 500x500mm mounting patterns.



IC42S2A1

Panel Sizes: 26" to 42"

Weight Capacity: 80 lbs.

Product Dimensions: 16" x 13.875" x 1.5" (h x w x d)

Description: The IC42S2A1 articulating mount is part of the Installer's Choice Razor Series. This is an ideal solution for those looking for a combination of flexibility and stability for 26" to 42" flat-panel displays weighing up to 80 lbs. The mount's ultra-slim profile provides seamless, elegant security for your display, placing it just 1.5" from the wall when closed and extending up to 18.75" off the wall. Full-motion pan, swivel and extension capabilities make this one of the most versatile mounts available. The dual stud, single arm design makes installation fast and easy. The IC42S2A1 provides the optimal viewing experience from anywhere in a room, offering a full range of motion and allowing viewing adjustments from -2° thru 10° to ensure the best viewing angle.

Universal mount for most 100x100mm - 400x400mm mounting patterns.



IC42S2A1500

Panel Sizes: 26" to 47"

Weight Capacity: 80 lbs.

Product Dimensions: 16" x 21.25" x 1.5" (h x w x d)

Description: The IC42S2A1 articulating mount is part of the Installer's Choice Razor Series. This is an ideal solution for those looking for a combination of flexibility and stability for 26" to 47" flat-panel displays weighing up to 80 lbs. The mount's ultra-slim profile provides seamless, elegant security for your display, placing it just 1.5" from the wall when closed and extending up to 18.75" off the wall. Full-motion pan, swivel and extension capabilities make this one of the most versatile mounts available. The dual stud, single arm design makes installation fast and easy. The IC42S2A1 provides the optimal viewing experience from anywhere in a room, offering a full range of motion and allowing viewing adjustments from -2° thru 10° to ensure the best viewing angle.

Universal mount for most 100x100mm - 500x500mm mounting patterns.



IC60S2A2

Panel Sizes: 40" to 60"

Weight Capacity: 125 lbs.

Product Dimensions: 16" x 21.25" x 1.5" (h x w x d)

Description: The IC60S2A2 articulating mount is part of the Installer's Choice Razor Series. This is an ideal solution for those looking for a combination of flexibility and stability for 40" to 60" flat-panel displays weighing up to 125 lbs. The mount's ultra-slim profile provides seamless, elegant security for your display, placing it just 1.5" from the wall when closed and extending up to 18.75" off the wall. Full-motion pan, swivel and extension capabilities make this one of the most versatile mounts available. The dual stud design makes installation fast and easy. The IC60S2A2 provides the optimal viewing experience from anywhere in a room, offering a full range of motion and allowing viewing adjustments from -2° thru 10° to ensure the best viewing angle.

Universal mount for most 100x100mm - 600x600mm mounting patterns.



Razor
SERIES

IC60S2A2600

Panel Sizes: 40" to 65"

Weight Capacity: 125 lbs.

Product Dimensions: 16" x 21.25" x 1.5" (h x w x d)

Description: The IC60S2A2 articulating mount is part of the Installer's Choice Razor Series. This is an ideal solution for those looking for a combination of flexibility and stability for 40" to 65" flat-panel displays weighing up to 125 lbs. The mount's ultra-slim profile provides seamless, elegant security for your display, placing it just 1.5" from the wall when closed and extending up to 18.75" off the wall. Full-motion pan, swivel and extension capabilities make this one of the most versatile mounts available. The dual stud design makes installation fast and easy. The IC60S2A2 provides the optimal viewing experience from anywhere in a room, offering a full range of motion and allowing viewing adjustments from -2° thru 10° to ensure the best viewing angle.

Universal mount for most 100x100mm - 600x600mm mounting patterns.



EP71S2A2

Panel Sizes: 42" to 71"

Weight Capacity: 200 lbs.

Product Dimensions: 9.69" x 19.61" x 4.65" (h x w x d)

Description: The EP71S2A2 articulating mount gives you a wide range of options for presenting 42" to 71" flat-panel displays weighing up to 200 lbs. The heavy-duty design ensures durability and strength in securing your display without sacrificing motion capabilities. It allows you to view your display from anywhere in the room and enables tilting adjustments from -5° thru 15°, ensuring the best possible viewing angle. The cable management system keeps cables hidden to provide a clean, uncluttered look even when extended. The EP71S2A2 allows you to pan, swivel and extend your display, maximizing your viewing options. The dual stud design makes installation fast and easy.

Universal mount for most 75x75mm - 800x700mm mounting patterns.



ICCB8-1

Product Dimensions: 6" x 8" x 3.75" (h x w x d)

Description: The ICCB8-1 connection box provides a simple and organized interface for managing the cables and power for your flat-panel displays and other audio-visual equipment. This connection box is great for smaller flat-panel displays, providing an uncluttered, compact setup. The box recesses the cables into your wall, allowing your slim flat-panel display to keep the lowest profile possible. Built-in surge protector keeps your electronics safe and your power cord routing simple and centrally located. The ICCB8-1 easily installs and locks into the wall with lock tabs that accommodate drywall from 0.5"-1.25" thick. The box fits within open mount faces 6" x 8" and larger.



ICCB10-1

Product Dimensions: 10" x 10" x 3.75" (h x w x d)

Description: The ICCB10-1 connection box provides a simple and organized interface for managing the cables and power for your flat-panel displays and other audio-visual equipment. The box recesses the cables into your wall, allowing your slim flat-panel display to keep the lowest profile possible. Built-in surge protector keeps your electronics safe and your power cord routing simple and centrally located. The ICCB10-1 easily installs and locks into the wall with lock tabs that accommodate drywall from 0.5"-1.25" thick. The box fits within open mount faces 10" x 10" and larger.



ICCB12-2

Product Dimensions: 12.50" x 12.50" x 3.75" (h x w x d)

Description: The ICCB12-2 connection box provides a simple and organized interface for managing the cables and power for your flat-panel displays and other audio-visual equipment. The box recesses the cables into your wall, allowing your slim flat-panel display to keep the lowest profile possible. Built-in dual surge protectors keep your electronics safe and your power cord routing simple and centrally located. The ICCB12-2 easily installs and locks into the wall with lock tabs that accommodate drywall from 0.5"-1.25" thick. The box fits within open mount faces 12.5" x 12.5" and larger.




Our surge suppression connection boxes provide an organized, recessed space where your cables can easily be bundled and tied down out of sight.



ICPADLK

Description:
Padlock deters theft of flat-panel display and helps secure arm to wall plate.



ICSHTMTL

Description:
Metal stud hardware kit.

For more information, please visit us online at www.installerschoicemounts.com



[Home](#) [Products](#) [Support](#) [About](#) [News](#)



Articulating Mounts

Full-motion pan, swivel and extension
[learn more](#)

AV Mounts & Connection Boxes

We manufacture professional AV solutions for commercial and residential industries with your needs in mind. After 68 years of experience with enclosure systems used by companies and institutions around the world, we're bringing this technology to you. Beginning with installers themselves, we've developed Installer's Choice.

We gathered a group of the industry's most experienced professionals and used their input to come up with a unique result: intelligently designed and quality products that they want. We provide mounts and connection boxes that combine contemporary design, easy assembly and adaptability to any installation. Installer's Choice is better built by design.





1 Innovation Drive
Des Plaines, IL 60016
847-391-8100
www.installerschoicemounts.com